



## Epidemiology of systemic hypertension in dogs

TANVIKA SANGWAN<sup>1✉</sup>, NEETU SAINI<sup>1</sup>, SUJATA TURKAR<sup>1</sup> and SUSHMA CHHABRA<sup>1</sup>

*Guru Angad Dev Veterinary and Animal Sciences University, Ludhiana, Punjab 141 004 India*

Received: 22 September 2024; Accepted: 13 November 2024

Supplementary Table 1. Breed-wise distribution of animals under study

Breed	Percentage (%)
Labrador retriever	32
Pug	16
Golden retriever	7
Beagle	6
Pomeranian	4
Pit bull terrier	4
Daschund	4
Rottweiler	3
German shepherd	2
American bully	2
Saint Bernard	1
Shih Tzu	1
Non-descript	9
Others	9

Supplementary Table 2. Disease-wise distribution of animals under study

Disease	Percentage (%)
Chronic kidney disease (CKD)	44
Acute kidney injury (AKI)	1
Cardio-renal syndrome	5
Dilated cardiomyopathy (DCM)/ congestive heart failure (CHF)	14
Mitral valve degenerative disease (MVDD)	3
Hypertrophic cardiomyopathy (HCM)	5
Other cardiac anomalies	9
Nervous syndrome	3
Diabetes mellitus	3
Pheochromocytoma	1
Ocular disease	1
Hepatic diseases	3
Others	8